# SAFETY DATA SHEET

CLEANSMART GARD-X AQUEOUS STAIN PROTECTOR manufactured by Stainshield Limited Page 1 Issued: 19/02/2007 Revision No: 1

# 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: STAINSHIELD AQUEOUS PROTECTOR Product code: ST 13 Use / description of product: Textile protector water based. Company name: Stainshield Limited P.O. Box 336 Oxshott Leatherhead Surrey KT22 2DB UNITED KINGDOM Tel: +44(0)1372 841467 Fax: +44(0)1372 841465 Emergency tel: +44(0)1372 841467

## 2. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients: PROPAN-2-OL 1-5% EINECS: 200-661-7 CAS: 67-63-0 [F] R11; [Xi] R36; [-] R67

## 3. HAZARDS IDENTIFICATION

Main hazards: No significant hazard.

## 4. FIRST AID MEASURES (SYMPTOMS)

**Eye contact:** There may be irritation and redness. **Ingestion:** Nausea and stomach pain may occur.

# 4. FIRST AID MEASURES (ACTION)

**Eye contact:** Bathe the eye with running water for 15 minutes. **Ingestion:** Wash out mouth with water. Consult a doctor.

## **5. FIRE-FIGHTING MEASURES**

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool

containers.

**Protection of fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:** Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-side up to prevent the escape of liquid.

# SAFETY DATA SHEET

STAINSHIELD AQUEOUS PROTECTOR Page 2 Issued: 19/02/2007

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding. **Clean-up procedures:** Small spills can be handled with a mop and water. Large spills should be contained with sand or

sawdust and disposed of under local authority regulations.

## 7. HANDLING AND STORAGE

**Storage conditions:** Store in cool, well ventilated area. Protect from freezing. Keep container tightly closed. Keep away from direct sunlight. **Suitable packaging:** Must only be kept in original packaging.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Hazardous ingredients: PROPAN-2-OL WEL (8 hr exposure limit): 999 mg/m3 WEL (15 min exposure limit): 1250 mg/m3 Eye protection: Avoid contact with eyes.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

State: Liquid Colour: Off-white Odour: Barely perceptible odour Solubility in water: Miscible Viscosity: Non-viscous pH: 4.0-4.5

## **10. STABILITY AND REACTIVITY**

Stability: Stable under normal conditions.
Conditions to avoid: None Identified
Materials to avoid: None Identified
Haz. decomp. products: In combustion emits toxic fumes.

## **11. TOXICOLOGICAL INFORMATION**

Hazardous ingredients: PROPAN-2-OL IVN RAT LD50 1088 mg/kg ORL MUS LD50 3600 mg/kg ORL RAT LD50 5045 mg/kg SCU MUS LDLO 6 gm/kg Routes of exposure: Refer to section 4 of SDS for routes of exposure and corresponding symptoms.

## **12. ECOLOGICAL INFORMATION**

Mobility: Readily absorbed into soil. Persistence and degradability: Biodegradable. Bioaccumulative potential: No bioaccumulation potential.

# SAFETY DATA SHEET

STAINSHIELD AQUEOUS PROTECTOR Page 3 Issued: 19/02/2007 Other adverse effects: Negligible ecotoxicity.

## **13. DISPOSAL CONSIDERATIONS**

**Disposal operations:** Consult local regulations for disposal. **NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## 14. TRANSPORT INFORMATION

ADR / RID UN no: -Shipping name: NOT CLASSIFIED AS DANGEROUS IN THE MEANING OF TRANSPORT REGULATIONS. IMDG / IMO UN no: -IATA / ICAO UN no: -

## **15. REGULATORY INFORMATION**

Hazard symbols: No significant hazard.

**Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

## **16. OTHER INFORMATION**

**Risk phrases used in s.2:** R11: Highly flammable. R36: Irritating to eyes. R67: Vapours may cause drowsiness and dizziness.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.